ELSEVIER

Forest Ecology and Management 180 (2003) 595–597

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 180

VOLUME 180, ISSUES 1–3 **17 JULY 2003**

Regular articles

Effects of soil temperature on biomass production and allocation in seedlings of four boreal tree species
Y.Y. Peng and Q.-L. Dang (Thunder Bay, Canada) 1
Basal area growth models for individual trees of Norway spruce, Scots pine, birch and other broadleaves in Norway
K. Andreassen (Høgskoleveien, Norway) and S.M. Tomter (Raveien, Norway) 11
Artificially regenerating longleaf pine in canopy gaps: initial survival and growth during a year of drought
D.A. Rodríguez-Trejo (Mexico, Mexico), M.L. Duryea, T.L. White, J.R. English (Gainesville, FL, USA) and
J. McGuire (Newton, GA, USA) 25
Environmental factors related to damage by *Heterobasidion abietinum* in *Abies alba* forests in Southern Italy
A. Puddu (Roma, Italy), N. Luisi (Bari, Italy), P. Capretti and A. Santini (Firenze, Italy) 37
Water use in a *Grevillea robusta*–maize overstorey agroforestry system in semi-arid Kenya
J.E. Lott (Loughborough, UK and Nairobi, Kenya), A.A.H. Khan (Nairobi, Kenya), C.R. Black (Loughborough, UK)
and C.K. Ong (Nairobi, Kenya) 45
Tree phenology and water availability in semi-arid agroforestry systems
J.S. Broadhead (Loughborough, UK and Nairobi, Kenya), C.K. Ong (Nairobi, Kenya) and C.R. Black (Loughborough, UK) . . . 61
Effects of strip wise tillage in combination with liming on chemical and physical properties of acidic spruce forest
soils after clear cutting
V. Geissen (Tabasco, Mexico), R.-Y. Kim, A. Schöning, St. Schütte and G.W. Brümmer (Bonn, Germany) 75
Characteristic site disturbance due to harvesting and extraction machinery traffic on sensitive forest sites with peat soils
C. Nugent (County Kerry, Ireland and Dublin, Ireland), C. Kanali, P.M.O. Owende, M. Nieuwenhuis and S. Ward (Dublin, Ireland) 85
Coppice regrowth in a disturbed tropical dry limestone forest in Jamaica
K.P. McLaren and M.A. McDonald (Wales, UK) 99
Use of a gradient of N-deposition to calculate effect-related soil and vegetation measures in deciduous forests
U. Falkengren-Grerup (Lund, Sweden) and M. Diekmann (Bremen, Germany) 113
Impact of vertebrate acorn- and seedling-predators on a Mediterranean *Quercus pyrenaica* forest
J.M. Gómez (Granada, Spain), D. García (Oviedo, Spain) and R. Zamora (Granada, Spain) 125
Ailanthus triphysa at different densities and fertiliser regimes in Kerala, India: growth, yield, nutrient use efficiency
and nutrient export through harvest
N. Shujauddin and B. Mohan Kumar (Thrissur, India) 135
Differentiation of *Prosopis juliflora* (Sw.) DC. and *P. pallida* (H. & B. ex. Willd.) H.B.K. using foliar characters and ploidy
P.J.C. Harris, N.M. Pasiecznik, S.J. Smith, J.M. Billington (Coventry, UK) and L. Ramírez (Pamplona, Spain) 153
Impact of soil surface disturbances on functional group diversity after clear-cutting in Aleppo pine (*Pinus halepensis*)
forests in southern France
H. Gondard, F. Romane, J. Aronson (Montpellier, France) and Z. Shater (Montpellier, France and Lattaquia, Syria) 165
Effect of drought on diameter increment of *Quercus ilex*, *Phillyrea latifolia*, and *Arbutus unedo* in a holm oak forest of NE Spain
R. Ogaya, J. Peñuelas, J. Martínez-Vilalta and M. Mangirón (Barcelona, Spain) 175
An economic and ecological multi-criteria evaluation of reforestation methods to recover burned *Pinus nigra* forests in NE Spain
J.M. Espelta, J. Retana and A. Habrouk (Barcelona, Spain) 185
Natural regeneration of *Picea abies* on small clear-cuts in SE Norway
K.H. Hanssen (Ås, Norway) 199
Regeneration strategies in a temperate hardwood floodplain forest of the Upper Rhine: sexual versus vegetative
reproduction of woody species
A.-F. Deiller, J.-M.N. Walter and M. Trémolières (Strasbourg, France) 215

doi:10.1016/S0378-1127(03)00272-X

Diversity and composition of tropical secondary forests recovering from large-scale clearing: results from the 1990 inventory in Puerto Rico
J. Danilo Chinea and E.H. Helmer (Río Piedras, PR, USA) 227
Characterizing woodland caribou habitat in sub-boreal and boreal forests
C.J. Johnson, N.D. Alexander, R.D. Wheate and K.L. Parker (Prince George, Canada) 241
Assessing the nutrition of juvenile hybrid poplar using a steady state technique and a mechanistic model
J. Michael Kelly (Ames, IA, USA) and T. Ericsson (Uppsala, Sweden) 249
Effects of nutrient addition, mulching and planting-hole size on early performance of *Dryobalanops aromatica* and *Shorea parvifolia* planted in secondary forest in Sarawak, Malaysia
A. Vincent (Kuching, Malaysia) and S.J. Davies (Cambridge, MA, USA) 261
The role of topkill in the differential response of savanna woody species to fire
W.A. Hoffmann (Brasília, Brazil) and O.T. Solbrig (Cambridge, MA, USA) 273
Structure, allometry, and biomass of plantation *Metasequoia glyptostroboides* in Japan
C.J. Williams, B.A. LePage, D.R. Vann (Philadelphia, PA, USA), T. Tange (Tokyo, Japan), H. Ikeda (Shizuoka, Japan), M. Ando (Kyoto, Japan), T. Kusakabe, H. Tsuzuki and T. Sweda (Matsuyama, Japan) 287
Predicting understory light microclimate from stand parameters in young paper birch (*Betula papyrifera* Marsh.) stands
P.G. Comeau (Edmonton, Canada) and J.L. Heineman (Vancouver, Canada) 303
Biomass and carbon sequestration of ponderosa pine plantations and native cypress forests in northwest Patagonia
P. Laclau (S.C. de Bariloche, Argentina) 317
Growth, nutrition, photosynthesis and transpiration responses of longleaf pine seedlings to light, water and nitrogen
S. Jose, S. Merritt and C.L. Ramsey (Milton, FL, USA) 335
Crown characteristics of juvenile loblolly pine 6 years after application of thinning and fertilization
S. Yu, J.L. Chambers, Z. Tang (Baton Rouge, LA, USA) and J.P. Barnett (Pineville, LA, USA) 345
The regeneration characteristics of *Picea jezoensis* and *Abies sachalinensis* on cut stumps in the sub-boreal forests of Hokkaido Tokyo University Forest
M. Nakagawa, A. Kurahashi (Hokkaido, Japan) and T. Hogetsu (Tokyo, Japan) 353
Factors affecting runoff and soil erosion: plot-level soil loss monitoring for assessing sustainability of forest management
H. Hartanto (Bogor, Indonesia), R. Prabhu (Harare, Zimbabwe), A.S.E. Widayat (Jakarta, Indonesia) and C. Asdak (Bandung, Indonesia) 361
A Danish example of optimal thinning strategies in mixed-species forest under changing growth conditions caused by climate change
J.B. Jacobsen (Copenhagen, Denmark) and B.J. Thorsen (Hørsholm, Denmark) 375
Modelling diameter class distribution with a second-order matrix model
N. Picard (Montpellier, France), A. Bar-Hen (Marseille, France) and Y. Guédon (Montpellier, France) 389
Response of mature stands of Norway spruce (*Picea abies*) to boron fertilization
M. Möttönen, T. Lehto, P.J. Aphalo (Joensuu, Finland), M. Kukkola and E. Mälkönen (Vantaa, Finland) 401
Growth change of young *Picea sitchensis* in response to deer browsing
B. Vila, F. Torre, F. Guibal (Marseille, France) and J.-L. Martin (Montpellier, France) 413
Timber harvesting as ongoing disturbance in a landscape of diverse ownership
D.B. Kittredge Jr. (Petersham, MA, USA and Amherst, MA, USA), A.O. Finley (St. Paul, MN, USA) and D.R. Foster (Petersham, MA, USA) 425
A comparison of two stand table projection methods for young *Eucalyptus nitens* (Maiden) plantations in Chile
G. Trincado V., R. Quezada P. (Valdivia, Chile) and K. von Gadow (Göttingen, Germany) 443
Forecasting development of understory American beech after partial cutting in uneven-aged northern hardwood stands
K.K. Bohn and R.D. Nyland (Syracuse, NY, USA) 453
Fire history of oak–pine forests in the Lower Boston Mountains, Arkansas, USA
R.P. Guyette (Columbia, MO, USA) and M.A. Spetich (Hot Springs, AR, USA) 463
Spatial dispersion of trees in an old-growth temperate hardwood forest over 60 years of succession
P.R. Aldrich, G.R. Parker (West Lafayette, IN, USA), J.S. Ward (New Haven, CT, USA) and C.H. Michler (West Lafayette, IN, USA) 475
Biomass and carbon pools of disturbed riparian forests
L.A.B. Giese (Chantilly, VA, USA), W.M. Aust (Blacksburg, VA, USA), R.K. Kolka (Grand Rapids, MI, USA) and C.C. Trettin (Charleston, SC, USA) 493
Effects on stream water chemistry and forest vitality after whole-catchment application of dolomite to a forest ecosystem in southern Norway
A. Hindar (Grimstad, Norway), R.F. Wright (Oslo, Norway), P. Nilsen (Ås, Norway), T. Larssen (Oslo, Norway) and R. Høgberget (Grimstad, Norway) 509

Nutrient cycling in a clonal stand of *Eucalyptus* and an adjacent savanna ecosystem in Congo. 2. Chemical composition of soil solutions
J.-P. Laclau (Montpellier, France), J. Ranger (Seichamps, France), J. de Dieu Nzila (Pointe-Noire, République du Congo), J.-P. Bouillet and P. Deleporte (Montpellier, France) 527
Biogeochemical impacts of clearfelling and reforestation on blanket peatland streams I. phosphorus
T. Cummins and E.P. Farrell (Dublin, Ireland). 545
Biogeochemical impacts of clearfelling and reforestation on blanket-peatland streams. II. major ions and dissolved organic carbon
T. Cummins and E.P. Farrell (Dublin, Ireland). 557
Effects of different soil treatments on growth and net nitrogen uptake of newly planted *Picea abies* (L.) Karst. seedlings
F. Nordborg, U. Nilsson (Alnarp, Sweden) and G. Örlander (Vaxjö, Sweden) 571
Predicting plant species richness in a managed forest
F. Skov (Rønde, Denmark) and J.-C. Svenning (Risskov, Denmark). 583

Contents of *Forest Ecology and Management*, Volume 180. 595